This questionnaire shall be utilized by: (i) Security personnel at all plant Pass Control offices; and (ii) USS employees hosting onsite meetings. // Pass Control shall notify the visitor's USS host if access is denied. // USS employees hosting visitors for onsite meetings should provide this questionnaire to each individual visitor sufficiently in advance so as to minimize inconveniences (travel, expenses, etc.).



Visitor Name:

Visitor Health Screening Questionnaire (COVID-19)

At U. S. Steel, safety is our primary core value. As the outbreak of the coronavirus disease 2019 (COVID-19) continues to evolve and spread globally, U. S. Steel is closely monitoring the situation and following the recommendations provided by the Centers for Disease Control and Prevention (CDC).

In an effort to prevent the spread of COVID-19 and reduce the risk of exposure to our employees and visitors, we are requesting that you complete this short screening questionnaire. Your participation is important to assist us in taking precautionary measures to protect you and others in this facility. Thank you.

Visitor Phone Number:

	0 (0) #	
Visitor Company/Organization:		U. S. Steel Host:
U. S. Steel Facility Name: If the answer to any of the following questions is "yes," access to the facility will be denied.		
1	Have you received a confirmed diagnosis of coronavirus (COVID-19) by a coronavirus (COVID-19) test or by a health care provider in the past 14 days?	
	Yes	_ No
2	Have you had close contact with or cared for someone who has been diagnosed with COVID-19 or suspected to have COVID-19 in the past 14 days?	
	Yes	No
3	Have you experienced any cold or flu-like symptoms including cough, shortness of breath or difficult breathing, fever (≥100.4° F), nausea, vomiting, diarrhea, chills, muscle pain, sore throat, or new loof taste or smell in the past 14 days?	
	Yes	_ No
Note: It	s change. The information collected on this que	Date:lease notify your U. S. Steel host immediately if any of your lestionnaire will be used to determine your rights to access
	eel facilities.	
For con	npletion by U. S. Steel representative only	
Access to Facility (circle one): Appr		proved Denied